



WINTER

WINTER-SNOW TYRE(POR)



TR777:
185/70R18 185/70R18 185/70R14 175/65R14
175/70R18 175/70R14 185/60R18 185/60R15
185/60R18 185/60R15 205/55R18 205/60R18
185/60R18 185/60R15 205/55R17 215/50R18
215/60R17 215/60R16 215/70R15 215/70R18

TR778:
215/65R17 225/60R18 235/55R18 245/45R18

TR777:
185/70R18 185/70R18 185/70R14 175/65R14
175/70R18 175/70R14 185/60R18 185/60R15
185/60R18 185/60R15 205/55R18 205/60R18
185/60R18 185/60R15 205/55R17 215/50R18
215/60R17 215/60R16 215/70R15 215/70R18
225/55R18 225/55R17 225/55R18 225/55R17
225/70R18 225/55R17 225/50R18 235/70R18
235/70R16 245/55R18 255/55R18 255/60R18
255/55R17

PL01:
205/55R18 185/60R18 215/55R18 235/55R17

WINTER-SNOW TYRE(SUV)



TR797:
235/55R18 215/55R20 215/60R20

WINTER-SNOW TYRE(LTR)



TR737:
185/70R18C 185R14C 185/70R18C

TR787:
225/55R18 172/55R18 172/50R17
172/55R18 172/50R17



TR767:
185/70R18C L101

L101
215/55R18C 185/70R18C

WINTER-ICE TYRE(POR STUDDED)



TR757:
175/65R14 185/60R14 185/60R18 185/60R15
185/60R18 185/60R15 205/55R18 205/60R18
205/55R17 215/50R18 235/55R17


PS01:
205/55R18 185/60R18 215/55R18 235/55R17

ST

(SPECIAL TRAILER)



TR643:
312/55R21 312/55R21 312/55R21 312/55R21
312/55R21 312/55R21 312/55R21 312/55R21



▲ TRIANGLE®

ALL POSITION



三角轮胎股份有限公司
TRIANGLE TYRE CO., LTD

ALL POSITION

▲ TRIANGLE®



6.50R16LT



7.00R16LT, 7.50R16LT




8.25R16LT, 8.00R20
10.00R20, 11.00R20
11R22.5, 12.00R20



9.00R20, 10.00R20
11.00R20, 12.00R20
12.00R24



7.00R16LT, 7.50R16LT
8.25R16LT, 8.00R20
10.00R20, 11.00R20
12.00R20




285/70R19.5



425/55R22.5



9.2R17.5, 8R19.5, 8R22.5
9R22.5, 10R25.5, 11R22.5
9R27R19.5, 21.5R19.5
285/70R18.5, 285/70R17.5
285/70R18.5, 315/70R22.5



11R22.5, 12R22.5,
11R24.5, 285/80R22.5
315/80R22.5, 285/70R22.5



6.00R20, 10.00R20
11.00R20



2.00R20, 1.10R20
1.75R20, 1.65R24
12.00R20



7.50R20, 8.25R20



8.25R16.5, 8.25R17.5
8R19.5, 8.5R17.5
285/70R22.5
L735/85R16



8.25R20, 9R22.5



10.00R20, 11.00R20
12.00R20



16.00R20, 11.45R20
11R22.5, 12.00R20
12R22.5, 12R22.5
315/80R22.5



10.00R20, 12.00R20
11.00R20, 12.00R20



9.00R20, 8R22.5
10.00R20, 10R22.5
315/80R22.5



7.00R20, 7.50R20, 8R22.5
12.00R20, 11R22.5
12R22.5, 285/80R22.5
315/80R22.5



9.00R20, 10.00R20
11.00R20, 12.00R20

























7.00R16LT, 7.50R16LT
8.00R16LT, 8.00R20, 10R17.5
8.00R16LT, 8.00R20, 10R17.5
12.00R20, 8R22.5, 11R22.5
285/70R22.5, 315/80R22.5









11R22.5, 12R22.5
9.00R20, 10.00R20
12.00R20






TRAILER



ALL POSITION  **TRIANGLE^E**



425x121	TR60	TR61	TR61-1	TR62	TR63	TR65
5100181						
7100181						
7100182						
7201181						
7201182						
7201183						
8201181						
8201182						
8201183						
8201184						
8201185						
8201186						
8201187						
8201188						
8201189						
8201190						
8201191						
8201192						
8201193						
8201194						
8201195						
8201196						
8201197						
8201198						
8201199						
8201200						
8201201						
8201202						
8201203						
8201204						
8201205						
8201206						
8201207						
8201208						
8201209						
8201210						
8201211						
8201212						
8201213						
8201214						
8201215						
8201216						
8201217						
8201218						
8201219						
8201220						
8201221						
8201222						
8201223						
8201224						
8201225						
8201226						
8201227						
8201228						
8201229						
8201230						
8201231						
8201232						
8201233						
8201234						
8201235						
8201236						
8201237						
8201238						
8201239						
8201240						
8201241						
8201242						
8201243						
8201244						
8201245						
8201246						
8201247						
8201248						
8201249						
8201250						
8201251						
8201252						
8201253						
8201254						
8201255						
8201256						
8201257						
8201258						
8201259						
8201260						
8201261						
8201262						
8201263						
8201264						
8201265						
8201266						
8201267						
8201268						
8201269						
8201270						
8201271						
8201272						
8201273						
8201274						
8201275						
8201276						
8201277						
8201278						
8201279						
8201280						
8201281						
8201282						
8201283						
8201284						
8201285						
8201286						
8201287						
8201288						
8201289						
8201290						
8201291						
8201292						
8201293						
8201294						
8201295						
8201296						
8201297						
8201298						
8201299						
8201300						
8201301						
8201302						
8201303						
8201304						
8201305						
8201306						
8201307						
8201308						
8201309						
8201310						
8201311						
8201312						
8201313						
8201314						
8201315						
8201316						
8201317						
8201318						
8201319						
8201320						
8201321						
8201322						
8201323						
8201324						
8201325						
8201326						
8201327						
8201328						
8201329						
8201330						
8201331						
8201332						
8201333						
8201334						
8201335						
8201336						
8201337						
8201338						
8201339						
8201340						
8201341						
8201342						
8201343						
8201344						
8201345						
8201346						
8201347						
8201348						
8201349						
8201350						
8201351						
8201352						
8201353						
8201354						
8201355						
8201356						
8201357						
8201358						
8201359						
8201360						
8201361						
8201362						
8201363						
8201364						
8201365						
8201366						
8201367						
8201368						
8201369						
8201370						
8201371						
8201372						
8201373						
8201374						
8201375						
8201376						
8201377						
8201378						
8201379						
8201380						
8201381						
8201382						
8201383						
8201384						
8201385						
8201386						
8201387						
8201388						
8201389						
8201390						
8201391						
8201392						
8201393						
8201394						
8201395						
8201396						
8201397						
8201398						
8201399						
8201400						
8201401						
8201402						
8201403						
8201404						
8201405						
8201406						
8201407						
8201408						
8201409						
8201410						
8201411						
8201412						
8201413						
8201414						
8201415						
8201416						
8201417						
8201418						
8201419						
8201420						
8201421						
8201422						
8201423						
8201424						
8201425						
8201426						
8201427						
8201428						
8201429						
8201430						
8201431						
8201432						
8201433						
8201434						
8201435						
8201436						
8201437						
8201438						
8201439						
8201440						
8201441						
8201442						
8201443						
8201444						
8201445						
8201446						
8201447						
8201448						
8201449						
8201450						
8201451						
8201452						
8201453						
8201454						
8201455						
8201456						
8201457						
8201458						
8201459						
8201460						
8201461						
8201462						
8201463						
8201464						
8201465						
8201466						
8201467						
8201468						
8201469						
8201470						



RDT (RIGID DUMP TRUCK)

ADT (ARTICULATED DUMP TRUCK)

MWLMOTOR WHEEL LOADER)

WHEEL DOZER

GRADER

MOBILE CRANE



Radial OTR Tread Pattern

13.00R25 TL569 E-3 ****
14.00R24 TB516S E-4 ***/****
14.00R25 TB526 E-3 ****
14.00R25 TB516S E-4 ***/****
18.00R25 TB516S E-4 **/****
18.00R33 TB526S E-4 ***
18.00R33 TB566S E-4 ***
21.00R35 TB526S E-4 ***
24.00R35 TB526S E-4 ***



Radial OTR Tread Pattern

17.5R25 TB516 E-3 **/***
20.5R25 TB516 E-3 **/***
23.5R25 TB516 E-3 **/***
23.5R25 TL528 E-3 **/***
23.5R25 TB598S E-4 **
26.5R25 TB516 E-3 **/***
26.5R25 TB598S E-4 **
29.5R25 TB516 E-3 **/***
29.5R25 TB598S E-4 **
29.5R29 TB516 E-3 **/***
750.65R25 TB598 E-3 **/***
775.65R29 TB598 E-3 **/***
875.65R29 TB598 E-3 **/***



Radial OTR Tread Pattern

17.5R25 TB516 L-3 **/***
20.5R25 TB516 L-3 **/***
20.5R25 TL538S+ L-5 **/***
23.5R25 TB516 L-3 **/***
23.5R25 TL538S+ L-5 **/***
23.5R25 TL559S+ L-5 **
26.5R25 TB516 L-3 **/***
26.5R25 TL538S+ L-5 **/***
26.5R25 TL559S+ L-5 **
29.5R25 TB516 L-3 **/***
29.5R25 TL538S+ L-5 **/***
29.5R25 TL559S+ L-5 **
35.65R33 TL538S+ L-5 **



Radial OTR Tread Pattern

17.5R25 TB516 L-3 **/***
20.5R25 TB516 L-3 **/***
20.5R25 TL538S+ L-5 **/***
23.5R25 TB516 L-3 **/***
23.5R25 TL538S+ L-5 **/***
23.5R25 TL559S+ L-5 **
26.5R25 TB516 L-3 **/***
26.5R25 TL538S+ L-5 **/***
26.5R25 TL559S+ L-5 **
29.5R25 TB516 L-3 **/***
29.5R25 TL538S+ L-5 **/***
29.5R25 TL559S+ L-5 **



Radial OTR Tread Pattern

14.00R24 TB515 G-2 *
14.00R24 TB536 G-2 *
17.5R25 TB515 G-2 *
20.5R25 TB515 G-2 *



Radial OTR Tread Pattern

14.00R24 TB586 E-2 ****
14.00R25 TB586 E-2 ****
16.00R25 TB586 E-2 ****
18.00R25 TB589 E-2 ****



Bias OTR Tread Pattern

14.00-24 TL612 E-3 16.24PR TT
14.00-24 TL558 E-3 24.28PR TT
14.00-25 TL558 E-3 28PR TT
16.00-25 TL612 E-3 28PR TT/TL
13.00-25 TL558 E-3 28PR TT
18.00-25 TL612 E-3 28.32.40PR TT/TL
18.00-33 TL510 E-4 32PR TL
21.00-35 TL558 E-3 38PR TL
24.00-35 TL510 E-3 42PR TL
27.00-49 TL510 E-4 42PR TL



Bias OTR Tread Pattern

15.5-25 TL612 L-3 12PR TL
17.5-25 TL612 L-3 12.16PR TL
17.5-25 TL516 L-3 12.16PR TT
20.5-25 TL612 L-3 16.20PR TT
23.5-25 TL612 L-3 16.18.20PR TT
23.5-25 TL516 L-3 16.20PR TT
26.5-25 TL612 L-4 20.28PR TL
26.5-25 TL612 L-3 20.28PR TL
26.5/75-29 TL612 L-3 22.30PR TL
29.5-25 TL612 L-3 22.28PR TL
29.5-29 TL612 L-3 28PR TL
35.65-33 TL520 L-5 42PR TL
45.65-45 TL520 L-5 58PR TL



Bias OTR Tread Pattern

15.5-25 TL502 L-3 12PR TL
15.5-25 TL508 L-2 12PR TL
17.5-25 TL508 L-2 12.16PR TL
17.5-25 TL516 L-3 12.16PR TT
17.5-25 TL612 L-3 12.16PR TT
20.5-25 TL508 L-2 12.16PR TL
20.5-25 TL612 L-3 16.20PR TL
23.5-25 TL508 L-2 16PR TL
23.5-25 TL516 L-3 16.20PR TT
23.5-25 TL612 L-3 16.18.20PR TT
26.5-25 TL612 L-3 20.28PR TL
26.5-25 TL516 L-3 20.28PR TL
29.5-25 TL612 L-3 22.28PR TL
29.5-25 TL612 L-3 22.28PR TL



Bias OTR Tread Pattern

13.00-24 TL508 L-2 12.14PR TL
14.00-24 TL508 L-2 12PR TL
15.5-25 TL508 L-2 12PR TL
17.5-25 TL508 L-2 12.16PR TL
20.5-25 TL508 L-2 12.16PR TL
23.5-25 TL508 L-2 16PR TL



Bias OTR Tread Pattern

14.00-24 TL558 E-3 24.28PR TT
14.00-25 TL558 E-3 28PR TT
16.00-25 TL612 E-3 28PR TT/TL
18.00-25 TL612 E-3 28.32.40PR TT/TL



UNDERGROUND EQUIPMENT

SCRAPER


STRADDLE CARRIER

CONTAINER FORK LIFT

REACH STACKER

COMPACTOR

SAND VEHICLE



TL538S+ TL559S+ TSMS+ TSMS

TB516 TL568+

TL558S

TL558S

TL558S

TB822 TB812

TR128 TR138 TR139 TB812

Radial OTR Tread Pattern

Radial OTR Tread Pattern

Radial OTR Tread Pattern

Radial OTR Tread Pattern

Radial OTR Tread Pattern

Bias OTR Tread Pattern

Bias OTR Tread Pattern

16.00R25 TSMS L-4S **

18.00R25 TSMS+ L-5S **

20.5R25 TL538S+ L-5 */**

23.5R25 TL538S+ L-5 */**

26.5R25 TL538S+ L-5 **

26.5R25 TL559S+ L-5 **

26.5R25 TL538S+ L-5 */**

29.5R25 TL538S+ L-5 */**

29.5R25 TL559S+ L-5 **

29.5R29 TB516 E-3 */**

33.25R29 TL568+ E-3 */**

16.00R25 TL558S E-4 ***

18.00R25 TL558S E-4 ***

16.00R25 TL558S E-4 ***

18.00R25 TL558S E-4 ***

16.00R25 TL558S E-4 ***

18.00R25 TL558S E-4 ***

23.1-26 TB812 R-3 10,12,14PR TL

23.1-26 TB822 12,14PR TT

66X44.00-25 TR128 E-7 6,16,20PR TL

1900X530-53 TR138 E-7 12PR TT

27.25-21 TR139 E-7 16PR TL

21.00-25 TR139 E-7 16PR TL

24-21 TB812 E-7 14PR TT



L-5S

Bias OTR Tread Pattern

18.00-25 L-5S 40PR TL

26.5-25 L-5S 36PR TL

12.00-24 L-4S 20PR TT



TL510 TL612

Bias OTR Tread Pattern

18.00-25 TL510 E-4 40PR TL

16.00-25 TL612 E-3 28PR TT/TL



TL510 TL612

Bias OTR Tread Pattern

14.00-24 TL612 E-3 16,24PR TT

18.00-25 TL510 E-4 40PR TL



TL510

Bias OTR Tread Pattern

18.00-25 TL510 E-4 40PR TL



TB822 TB812

Bias OTR Tread Pattern

23.1-26 TB812 R-3 10,12,14PR TL

23.1-26 TB822 12,14PR TT



TR128 TR138 TR139 TB812

Bias OTR Tread Pattern

66X44.00-25 TR128 E-7 6,16,20PR TL

1900X530-53 TR138 E-7 12PR TT

27.25-21 TR139 E-7 16PR TL

21.00-25 TR139 E-7 16PR TL

24-21 TB812 E-7 14PR TT

COMPOUND & APPLICATION

COMPOUND CODE	COMPOUND DESCRIPTION	APPLICATION CHARACTERISTICS
T1	Abrasion Resistant	Slow speed, highest wear, hot running
T2A	Hybrid A	Medium speed, higher wear, medium heat
T2	Standard	Normal speed, medium wear, average heat
T2C	Hybrid C	Higher speed, fast wear, cool running
T3	Heat Resistant	Highest speed, faster wear, coolest running

NOTE: Operation job TKPH must not exceed rated TKPH of each compound.